



NILES®



MSU140

INFRARED EXTENDER SYSTEMS



SPECIFICATIONS SHEET

IR Repeater System for Single Zone Applications

- One sensor input with four flasher outputs
- Packaged for retail display

SPECIFICATIONS

IR Repeater System for Single Zone Applications

MSU140

Stock Number

FG01002



Features

- One sensor input with removable screwless connectors
- Use with IRH610 (FG01018 to provide additional inputs)
- Four flasher outputs with 3.5mm flasher output jacks
- Low profile, small footprint for unobtrusive installation
- Integrated mounting wings accommodate both vertical and horizontal installation
- UL-listed regulated in-line power supply with universal voltage capability
- 12 Volt DC status input jack
- System feedback LED indicator provides visual indication of operation
- Rugged all metal chassis construction


Specifications

- Dimensions: 4-3/4" wide x 1-1/4" high x 2" deep
12.07 cm wide x 3.18 cm high x 5.08 cm deep

Warranty: Two-year limited

Shipping weight: 2 lbs.

ACCESSORIES



The **MSU140** is one of three elements needed to form a complete remote control extender system. Elements of a remote control extender system:

- ① **Infrared Sensor/Keypad** receives/initiates the commands and routes them to the Infrared Main System Unit.
- ② **Infrared Main System Unit** amplifies and distributes the commands to the Infrared Flashers.
- ③ **Infrared Flashers** transmit the commands to the A/V components