

Specification +/- QM-65A

Panel

Panel Type	LED-Backlit TFT LCD (VA Technology)
Panel Size	64.5"
Max. Resolution	UHD 3840 x 2160
Pixel Pitch	0.372 mm
Brightness	350 cd/m ²
Contrast Ratio	4000:1
Viewing Angle (H/V)	178°/178°
Display Colour	1.07B
Response Time	5 ms
Surface Treatment	Anti-Gare Treatment (Haze 2%), 3H Hard Coating

Frequency

Frequency (H)	31 kHz-92 kHz
Frequency (V)	48 Hz-85 Hz

Signal Input

DisplayPort	1.2 x 1
HDMI	2.0 x 4
VGA	15-Pin D-Sub x 1

External Control

IR In	3.5 mm Phone Jack
IR Out	3.5 mm Phone Jack
RS232 In	2.5 mm Phone Jack
RS232 Out	2.5 mm Phone Jack
LAN	RJ45 x 1
RJ11	Yes

Embedded Player

OS	Android 5.0.1
CPU	1 Ghz Quad Core Full HD
Memory	2 GB DDR3
Storage	8 GB eMMC

Other Connectivity

USB	2.0 x 1 (Service Port / Media Playback) / 2.0 x 1 (Media Playback) / 3.0 x 1 (Media Playback) / USB Power Outlet x 1 (5V2A)
-----	---

OPS Slot	Yes
----------	-----

Micro SD Card Slot	Yes
--------------------	-----

Audio

Audio In	Stereo Audio Jack (3.5mm)
----------	---------------------------

Audio Out	Stereo Audio Jack (RCA)
-----------	-------------------------

Internal Speakers	10W x 2
-------------------	---------

Power

Power Supply	Internal
--------------	----------

Power Requirements	AC 100-240V, 50/60 Hz
--------------------	-----------------------

On Mode	186W (On)
---------	-----------

Stand-by Mode	< 0.5W
---------------	--------

Off Mode	< 0.5W
----------	--------

Operating Conditions

Temperature	0°C-40°C (32°F-104°F)
-------------	-----------------------

Humidity	20%-80% (non-condensing)
----------	--------------------------

Storage Conditions

Temperature	-20°C-60°C (-4°F-140°F)
-------------	-------------------------

Humidity	10%-90% (non-condensing)
----------	--------------------------

Mounting

VESA FPMPI	Yes (400 x 400 mm)
------------	--------------------

Security

Kensington Security Slot	Yes
--------------------------	-----

Dimensions

Product w/o Base (W x H x D)	1458.7 x 834.7 x 81.6 mm (54.7" x 32.9" x 3.2")
------------------------------	---

Packaging (W x H x D)	1655.0 x 1078.0 x 280.0 mm (65.2" x 42.4" x 8.2")
-----------------------	---

Weight

Product w/o Base	24.8 kg (54.7 lb)
------------------	-------------------

Packaging	35.2 kg (77.6 lb)
-----------	-------------------

Regulation Approval

Certifications & Compliance CB, CE, FCC, BSMI, RoHS, WEEE, REACH

Accessories

Supplied Power Cord, HDMI Cable, Remote Control,
Batteries, Quick Start Guide