

## RTBUS-11

Round Table Mount Multi-Connection Solution - Pneumatic Lid

| VGA/UXGA - 15-pin HD | HDMI | Ethernet - RJ-45



The RTBUS-11 is a round, furniture-mounted, connection bus that is easily installed in a table or podium top. The unit connects AV equipment to the room's presentation system

## **FEATURES**

4 Inputs - 15-pin HD, HDMI, 3.5mm, & RJ-45

Power Input - 110V AC (USA only). Purchase power cord optionally

Cover - Pneumatic pop-up lid

Cutout Size (Mount Dimension) - 92 to 95mm diameter



## TECHNICAL SPECIFICATIONS

PORTS: 1 HDMI connector, 1 15-pin HD connector, 1 3.5mm mini jack, 1 RJ-45 connector

**CUTOUT SIZE:** 92 to 95mm diameter

POWER SOURCE

(AC power limits):

115V AC, 50/60Hz, 5A max. (power cord purchased separately)

FUSE RATING: T 6.3A 250V

**OPERATING** 0° to +40°C (32° to 104°F)

TEMPERATURE:

**STORAGE** -40° to +70°C (-49° to 158°F)

TEMPERATURE:

**HUMIDITY**: 10% to 90%, RHL non-condensing

**INCLUDED** 

ACCESSORIES:

Six self-locking ties

Product Dimensions  $15.40 \, \text{cm} \times 10.70 \, \text{cm} \times 10.70 \, \text{cm} (6.06" \times 4.21" \times 4.21") \, \text{W, D, H}$ 

**Product Weight** 0.7kg (1.6lbs) approx

Shipping Dimensions  $36.50 \text{cm} \times 17.00 \text{cm} \times 17.00 \text{cm} (14.37" \times 6.69" \times 6.69") \text{ W, D, H}$ 

Shipping Weight 1.5kg (3.4lbs) approx





## CONFIGURATIONS

RTBUS-11/US(B)	Round Table Mount Multi-Connection Solution - Pneumatic Lid - 88mm Cut-Out; Enclosure - Black Sand Blasted Anodized Aluminum Top
RTBUS-11/US(BC)	Round Table Mount Multi-Connection Solution - Pneumatic Lid - 88mm Cut-Out; Enclosure - Silver Sand Blasted Anodized Aluminum Top

