

VS-21T

2x1 Selector for Ethernet and HDBaseT Signals

| Ethernet - RJ-45 | HDBaseT | HDCP 2.2 Compatible



VS-21T is a selector for Ethernet and HDBaseT signals of any resolution up to 4K@60 (4:2:0) and all HDCP versions. Use contact closure switches to switch one of the two inputs to the output. Note: VS-21T is a signal pass-through and does not extend the HDBaseT signals. Signal range depends on the range of the source device

FEATURES

Max. Data Rate: - 8.91Gbps (2.97Gbps per graphic channel)

Max. Resolution: - 4K@60Hz (4:2:0)

HDCP 2.2 Compliant HDTV Compatible 3D Pass-though



TECHNICAL SPECIFICATIONS

2 HDBaseT Signal / On RJ-45 connectors

Ethernet:

Ethernet:

1 HDBaseT Signal / On an RJ-45 connector

Max. Data Rate:

8.91Gbps (2.97Gbps per graphic channel) pass-through

Max. Resolution:

4K@60Hz (4:2:0) pass-through

Standards Compliance: **HDCP 2.2**

Controls:

Contact closure connectors for remote control switches

Indicators:

Active input and ON

Source:

5V DC

Consumption:

30mA

Operating

0° to +40°C (32° to 104°F)

Temperature

Storage Temperature -40° to +70°C (-40° to 158°F)

Humidity

10% to 90%, RHL non-condensing

